

Clear 398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4")



Clear 198 x 198 x 6mm (7 7/8" x 7 7/8" x 1/4")

## Clear Glass

Dramatic colours capture and reflect light, making smaller rooms appear more spacious. Whether in an urban bathroom or chic, contemporary kitchen, they focus the eye on the space around you.

- ▲ Glass: Mekong Clear 198 x 198 x 6mm (7 7/8" x 7 7/8" x 1/4") - GW-MEK806C
- Glass: Indus Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-IND210C
- Tile: Colourworks Brilliant White Rectangle 152 x 25mm (6" x 1") - A9221
- ▲ Glass: Indus Clear 398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4") - GW-IND1606C
- Glass: Mekong Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-MEK410C
- Stone: Earthworks Graphite Black Slate 600 x 400 x 10mm - EW-GB60440
- ▶ Glass: Mekong Clear Classic Brick 200 x 98 x 6mm (8" x 4" x 1/4") - GW-MEK846C

Please refer to page 61 for all colour and size options available.



Clear Classic Brick - 200 x 98 xx 6mm (8" x 4" x 1/4")



Clear-398 x 80 x 6mm (153/4" x 31/8" x 1/4")



Clear-398 x 80 x 6mm (153/4" x 31/8" x 1/4")

## Clear & Frosted Glass

Covering areas beautifully, these large format tiles show their versatility in both a residential or commercial theme, echoing a clean and stylish interior. Available in seven clear and three frosted colours.

- ▲ Glass: Mekong - Clear 398 x 80 x 6mm (153/4" x 31/8" x 1/4") GW-MEK1636C
- ▲ Glass: Volga, Avon & Thames - Clear-398 x 80 x 6mm (153/4" x 31/8" x 1/4") GW-VOL1636C, GW-AVO1636C & GW-THA1636C

Please refer to pages 61 & 63 for all colour and size options available.




Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

## Frosted Glass

The tactile qualities of the frosted finish bring a deeper intensity to this collection. The urge to touch the velvety quality of these tiles is irresistible – to experience the smoothness of the glass under your fingertips.

- ▲ Glass: Ganges Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-GANZ10F
- Glass: Seine Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-SENZ10F
- Stone: Earthworks Umbrian Gold Filled and Honed 300 x 300 x 12mm - EW-UGF30X30
- Stone: Earthworks Bullnose Giallo 300 x 29 x 19mm - EW-BNG30
- ▲ Glass: Yangtze Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - CW-YANZ10C
- Glass: Yangtze Frosted 152 x 152 x 6mm (6" x 6" x 1/4") - GW-YANZ60F
- Stone: Earthworks Old Aquitaine 600 x 400 x 15mm - EW-OA60X40

Please refer to page 63 for all colour and size options available.



Frosted 152 x 152 x 6mm (6" x 2" x 1/4")



Frosted 100 x 100 x 5mm (4" x 4" x 3/16")

## Frosted Glass

The opportunity to create outstanding designs is limited only by your imagination. Frosted Glassworks tiles are available in six different sizes, ready to be combined to dramatic effect.



Frosted 100 x 100 x 10mm (4" x 4" x 3/8")

- ▲ Glass: Zambezi Frosted 100 x 100 x 5mm (4 x 4 x 3/16") - GW-ZAM405F
- ▶ Glass: Thames Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-THA210C
- ▶ Glass: Thames Frosted 100 x 100 x 10mm (4" x 4" x 3/8") - GW-THA410F
- ▶ Tiles: Colourworks Brilliant White 152 x 152 x 6mm (6" x 6" x 1/4") - A9000
- ▶ Tiles: Colourworks Brilliant White Omega - A9909

Please refer to page 63 for all colour and size options available.



Frosted 152 x 50 x 6mm (6" x 2" x 1/4")

## Frosted & Tumbled Glass

Whether a small shot of colour to catch the eye – bright, bold and vivid – or a larger expanse of simple neutrality leading the viewer to a stunning vista, the Glassworks collection contains a wonderful array of contemporary shades.

- ▲ Glass: Mackenzie Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-MAC210C
- ▲ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▲ Glass: Volga Frosted 152 x 50 x 6mm (6" x 2" x 1/4") - GW-VOL656BF
- ▲ Glass: Arctic Tumbled 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ART410T

Please refer to page 63 for all colour and size options available.



Tumbled 100 x 100 x 10mm (4" x 4" x 3/8")



Clear Classic Brick - 200 x 98 x 6mm (8" x 4" x 1/4")

## Clear Glass

The beautiful Glassworks palette of field tiles has been carefully selected for today's eclectic interiors. A spectrum of aqueous hues and contemporary bright colours has been developed to suit modern kitchen and bathroom designs.



Clear 152 x 152 x 6mm (6" x 6" x 1/4")

▲ Glass: Zambezi Clear Classic Brick 200 x 98 x 6mm (8" x 4" x 1/4") - GW-ZAMB46C

▶ Glass: Thames Clear 152 x 152 x 6mm (6" x 6" x 1/4") - GW-THA606C

Please refer to page 61 for all colour and size options available.



Metallica 150 x 75 x 10mm (5<sup>15</sup>/<sub>16</sub>" x 3" x 3/8")

## Metallica Glass

Adding a touch of glamour to these stylish glass tiles, Metallica provides a subtle gleam of difference, whether used alone or in conjunction with alternative textures and materials. Available in 48 x 48mm, 100 x 100mm & 150 x 75mm in eight stunning colours.



Metallica 150 x 75 x 10mm (5<sup>15</sup>/<sub>16</sub>" x 3" x 3/8")

- ▲ Glass: Titania Metallica 150 x 75 x 10mm (5<sup>15</sup>/<sub>16</sub>" x 3" x 3/8") - GW-TTA610SFT
- Stone: Earthworks Umbrion Gold Filled and Honed 600 x 400 x 12mm - EW-UGF60x40
- ▶ Glass: Triton Metallica 150 x 75 x 10mm (5<sup>15</sup>/<sub>16</sub>" x 3" x 3/8") - GW-FRT610SFT
- Stone: Earthworks Andes Dawn 300 x 300 x 10mm - EW-AD30x30

Please refer to page 63 for all colour and size options available.



Metallica 100 x 100 x 10mm (4" x 4" x 3/8")



Metallica 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

## Metallica Glass

Mixed with stone to update a beautifully classic look, or as an entire backdrop of glamour, Metallica is available in a variety of beautiful tones and sizes to suit every design scheme.

- ▲ Glass: Titana Metallica 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-TTAZ10MFT
- Stone: Earthworks Venetian Mosaic Mixed Travertine 305 x 305 x 10mm - EW-VMTM48
- ▲ Glass: Triton Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-FRT410MFT
- ▲ Glass: Hermes Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-HRM410MFT
- Glass: Gamymede Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-GYM410MFT
- Glass: Hyperion Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-HYN410MFT

Please refer to page 63 for all colour and size options available.



Metallica 100 x 100 x 10mm (4" x 4" x 3/8")



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8")

## Co-ordinating Ceramics

### Serenity

The classic charm of these beautiful ceramic tiles, with matching mouldings, is perfect for a supporting role to the glistening Glassworks tiles.



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8")

- ▲ Ceramic: Gamma 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CGA0404
- ▲ Ceramic: Scala 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CSC0404
- ▲ Ceramic: Opus 100 x 100 x 10mm (4" x 4" x 3/8") - GW-COP0404
- ▲ Glass: Ganges Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-GAN410C
- ▲ Glass: Angara Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-AGR410C
- ▲ Ceramic: Nila 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CML0404
- ▲ Glass: Sala 100 x 100 x 10mm (4" x 4" x 3/8") - GW-SNA410C

Please refer to 'Important Information' on page 64 for installation guidelines.



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8") and Elite 100 x 14mm (4" x 9/16")

## Serenity & Elite

Soft, serene, summery shades are a delight to behold, whether used as a melange of colour, or with the simplicity of a single tone.



Elite Moulding  
100 x 14mm (4" x 9/16")



Aspiré  
100 x 100 x 10mm (4" x 4" x 3/8")  
Co-ordinating glass - Ganges & Chico



Elite Aspiré  
100 x 14mm (4" x 9/16")  
GW-CAPB910



Prima  
100 x 100 x 10mm (4" x 4" x 3/8")  
Co-ordinating glass - Avon & Thames



Elite Prima  
100 x 14mm (4" x 9/16")  
GW-CPMB910



Modo  
100 x 100 x 10mm (4" x 4" x 3/8")  
Co-ordinating glass - Bosphorus & Murray



Elite Modo  
100 x 14mm (4" x 9/16")  
GW-CMDB910



Pinache  
100 x 100 x 10mm (4" x 4" x 3/8")  
Co-ordinating glass - Tigris



Elite Pinache  
100 x 14mm (4" x 9/16")  
GW-CPMB910



Zone  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CZNO404  
Co-ordinating glass - Volga, Mississippi & Columbia



Elite Zone  
100 x 14mm (4" x 9/16")  
GW-CZNB910



Gemini  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CGE0404  
Co-ordinating glass - Mississippi & Columbia



Elite Gemini  
100 x 14mm (4" x 9/16")  
GW-CGEB910



Aquarius  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CAOO404  
Co-ordinating glass - Colorado & Zambesi



Elite Aquarius  
100 x 14mm (4" x 9/16")  
GW-CAOB910



Spa  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CSP0404  
Co-ordinating glass - Colorado & Zambesi



Elite Spa  
100 x 14mm (4" x 9/16")  
GW-CSPB910



Zen  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CZEO404  
Co-ordinating glass - Rhine & Mekong



Elite Zen  
100 x 14mm (4" x 9/16")  
GW-CZEB910



Opus  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CPO404  
Co-ordinating glass - Fraser & Tigris



Elite Opus  
100 x 14mm (4" x 9/16")  
GW-CPOB910



Scala  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CSCO404  
Co-ordinating glass - Chico



Elite Scala  
100 x 14mm (4" x 9/16")  
GW-CSCB910



Gamma  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CGO404  
Co-ordinating glass - Ganges & Fraser



Elite Gamma  
100 x 14mm (4" x 9/16")  
GW-CGOB910



Mirage  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CMO404  
Co-ordinating glass - Yukon, Zambesi & Congo



Elite Mirage  
100 x 14mm (4" x 9/16")  
GW-CMOB910



Bono  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CBN0404  
Co-ordinating glass - Loire & Seine



Elite Bono  
100 x 14mm (4" x 9/16")  
GW-CBNB910



Odyssey  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-COO404  
Co-ordinating glass - Loire & Moselle



Elite Odyssey  
100 x 14mm (4" x 9/16")  
GW-COOB910



Mila  
100 x 100 x 10mm (4" x 4" x 3/8")  
GW-CML0404  
Co-ordinating glass - Indus



Elite Mila  
100 x 14mm (4" x 9/16")  
GW-CMLB910

▲ Ceramic: Gemini 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CGE0404  
Moulding: Gemini 100 x 14mm (4" x 9/16") - GW-CGEB910  
Glass: Volga 100 x 100 x 10mm (4" x 4" x 3/8") - GW-VOL40C

All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"

# Decorative Glass

## Constellation

With a glorious glint, Constellation is the most modern of tiles: whether creating a modern loft installation, or adding some zing to a classic design.

This 100 x 100mm sparkingly stunning tile is available in six dazzling colours.



- ▶ Glass: Delphinus Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-DLP410MF  
 Glass: Aquila Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-AQU410MF
- ◀ Glass: Andia Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ADA410MF  
 Glass: Triton Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-TRT410MFT

Please refer to 'important information' on page 64 for installation guidelines.



Constellation 100 x 100 x 10mm (4" x 4" x 3/8")




Constellation 100 x 100 x 10mm (4" x 4" x 3/8")

# Iridescent Drop-Ins

The delicate nature of these gems can be misleading until you see the full impact of the decoration within them. Use these masterpieces of minute detail and intense colour as jewels or continuous borders.




Iridescent Drop-Ins 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4")



- ◀ Glass: Orb Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DC098  
Ceramic: Delano - A9019  
Tiles: Colourworks Brilliant White 152 x 152 x 7mm (6" x 6" x 1/4") - A9000
- ▶ Glass: Luminary Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DC093  
Please refer to 'Important Information' on page 64 for installation guidelines  
The shade of these Drop-Ins varies between batches




Iridescent Drop-Ins 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4")



Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")

## Lunar & Equinox

Completely handmade, these magnificent textured tiles are the first of our decorative designs. The Lunar is especially lustrous when highlighted by subtle illumination, whilst the Equinox tiles can be appreciated from a variety of angles as the patina adjusts to the light. Use as single tiles, running borders or as a stunning feature piece to complement ceramics or stone.



Cygnus  
100 x 100 x 7mm  
4" x 4" x 1/8"

GW-DG001

Andromeda  
100 x 100 x 7mm  
4" x 4" x 1/8"

GW-DG010

Lunar  
100 x 100 x 12mm  
4" x 4" x 1/2"

GW-DG001

Lunar Border  
100 x 100 x 12mm  
7 1/2" x 1 1/2" x 1/2"

GW-DG002




Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")



Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")

- ▶ Glass: Lunar tile 100 x 100 x 12mm (4" x 4" x 1/2") - GW-DG001
- Stone: Earthworks Graphite Black Slate 300 x 300 x 10mm - EW-GB30X30
- ◀ Glass: Cygnus 100 x 100 x 7mm (4" x 4" x 1/8") - GW-DG001
- Glass: Phoebe Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DG090
- Tile: Colourworks Lily 152 x 152 x 7mm (6" x 6" x 1/4") - CLY9000
- ▶ Glass: Andromeda 100 x 100 x 7mm (4" x 4" x 1/8") - GW-DG010
- Glass: Zambesi Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ZAM410C

Please refer to 'Important Information' on page 64 for installation guidelines.




Confetti 100 x 100 x 7mm (4" x 4" x 1/4")

## Confetti

The Confetti collection – superb transparent colours that are ideal for so many applications. With imaginative lighting, you can also discover the beauty of each individual tile from delicate fragments of coloured glass to a kaleidoscope of iridescence.



Confetti 100 x 100 x 7mm (4" x 4" x 1/4")



Corvus  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG062

Cassiopea  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG061

Iridium  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG064

Nectans  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG065

Vega  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG065

Stellar  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG066

Capella  
100 x 100 x 7mm  
(4" x 4" x 1/4")  
GW-DG067

Capella Border  
200 x 40 x 7mm  
(7 7/8" x 1 5/8" x 1/4")  
GW-DG068


◀ Glass: Cassiopea 100 x 100 x 7mm (4" x 4" x 1/4") - GW-DG061  
(Glass tiles mounted onto perspex and back lit)

▲ Glass: Stellar 100x100x7mm (4" x 4" x 1/4") - GW-DG066  
Stone: Earthworks Tuscan Marble 100x100x10mm - EWTM18TRIA


Please refer to 'Important Information' on page 64 for installation guidelines.

## Float & Foil

By mixing glass and metals we have created a series of outstanding abstract designs. Incorporating copper and foil, these incredibly simple styles are reminiscent of times when only natural minerals and materials were available to decorate the home.



Float & Foil 200 x 40 x 9mm (7 7/8" x 1 1/2" x 3/8")



Cosmos  
100 x 100 x 9mm  
(4" x 4" x 3/8")  
GW-DG041

Rislarachus  
100 x 100 x 9mm  
(4" x 4" x 3/8")  
GW-DG043

Eridanus  
100 x 100 x 9mm  
(4" x 4" x 3/8")  
GW-DG045

Draco Border  
200 x 40 x 9mm  
(7 7/8" x 1 1/2" x 3/8")  
GW-DG044

Meteor  
100 x 100 x 9mm  
(4" x 4" x 3/8")  
GW-DG042

Auriga  
100 x 100 x 9mm  
(4" x 4" x 3/8")  
GW-DG040

- ▶ Glass: Auriga 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG040
- ▶ Glass: Meteor 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG042
- ▶ Glass: Eridanus 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG045
- ▶ Stone: Earthworks Amazon Green Slate 100 x 100 x 10mm - EW-AG10X10
- ▶ Stone: Earthworks Amazon Green Slate 300 x 300 x 10mm - EW-AG30X30
- ▶ Glass: Draco border 200 x 40 x 9mm (7 7/8" x 1 1/2" x 3/8") - GW-DG044
- ▶ Stone: Earthworks Umbrian Gold Diamond Sawm 600 x 400 x 12mm - EW-UG60X40D5
- ▶ Stone: Earthworks Bullnose Crema 100 x 29 x 19mm - EW-BNC10


Please refer to 'Important Information' on page 64 for installation guidelines.




Float & Foil 100 x 100 x 9mm (4" x 4" x 3/8")

# Iridescent

These delightful iridescent tiles complement our Earthworks stone range perfectly. Their richness emanates from fragments of metallic glass embedded on the surface, which glitter in the light, with each piece being handmade and truly individual.



Iridescent 200 x 40 x 6mm (7 7/8" x 1 5/8" x 1/4")



Cetus  
100 x 100 x 6mm  
4" x 4" x 1/8"  
GW-DG022

Pleides  
100 x 100 x 6mm  
4" x 4" x 1/8"  
GW-DG024

Perseus  
100 x 100 x 6mm  
4" x 4" x 1/8"  
GW-DG021

Vapourum  
100 x 100 x 6mm  
4" x 4" x 1/8"  
GW-DG020

Cepheus  
100 x 100 x 6mm  
4" x 4" x 1/8"  
GW-DG023

Lacus Border  
200 x 40 x 6mm  
7 7/8" x 1 5/8" x 1/4"  
GW-DG025

- ◀ Glass: Perseus 100 x 100 x 6mm (4" x 4" x 1/8") - GW-DG021
- Stone: Earthworks Venetian Mosaic Jerusalem Gold 4.8 3.05 x 3.05 x 10mm - EW-VM.JGOLD48
- Stone: Earthworks Old Aquitaine 300 x 300 x 15mm - EW-OA30X30

- ▲ Glass: Lacus border 200 x 40 x 6mm (7 7/8" x 1 5/8" x 1/4") - GW-DG025
- Tile: Original Style Colour Palette Bronze - NES900

Please refer to 'Important Information' on page 64 for installation guidelines.



Iridescent 100 x 100 x 6mm (4" x 4" x 1/4")



Clear 100 x 100 x 5mm (4" x 4" x 3/16")



Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

## Clear Glass

An amazing array of sizes is available to choose for your perfect design scheme: versatile classic 100mm square; the smaller but dazzling 48mm tiles are understated yet vibrant alternatives; modern rectangular tiles echoing the Art Deco style yet with a 21<sup>st</sup> century twist.

- ▲ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▲ Glass: Mississippi Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-MSP210C
- ▲ Glass: Columbia Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-COL210C
- ▲ Glass: Arkansas Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-ARK210C
- ▲ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▲ Stone: Earthworks Umbrian Gold Unfilled and Honed 400 x 200 x 12mm - EW-UG40X20DS
- ▲ Glass: Euphrates Clear 100 x 100 x 5mm (4" x 4" x 3/16") - GW-EUP405C

Please refer to page 61 for all colour and size options available.



Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")




Clear Brick Triangle Border

# Borders

## Clear Glass Borders

Sophisticated borders add colour and design to larger format ceramic, stone and glass settings.



Clear Small Triangle & Square Border

## Clear Large Triangle & Square Borders



Victoria  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-VCLT1SBC



Volia  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-VTAL1SBC



Huron  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-HURL1SBC



Superior  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-SUPL1SBC



Geneva  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-GNVL1SBC



Calcasieu  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-CALL1SBC



Trinidad  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-TRKL1SBC



Mweru  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-MWRL1SBC



Tanganyika  
300 x 75 x 8mm (11 1/2" x 3" x 5/16")  
GW-TGKL1SBC

## Clear Brick Triangle Borders



Volta  
320 x 90 x 8mm (12 5/8" x 3 3/4" x 5/16")  
GW-VTALB1BC



Victoria  
320 x 90 x 8mm (12 5/8" x 3 3/4" x 5/16")  
GW-VCLB1BC


## Clear Small Triangle & Square Borders



Victoria  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-VCT1SBC



Volia  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-VTAS1SBC




Huron  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-HUR1SBC



Superior  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-SUPS1SBC



Geneva  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-GNV1SBC



Calcasieu  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-CAL1SBC



Turkana  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-TRKS1SBC



Mweru  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-MWR1SBC



Tanganyika  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-TGKS1SBC

## Clear Triangle Borders



Volia  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-VTATBC



Victoria  
300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16")  
GW-VCTBC

▲ Border: Victoria Clear Brick Triangle Border 320 x 90 x 8mm (12 5/8" x 3 3/4" x 5/16") - GW-VCLB1BC

◀ Border: Superior Clear Small Triangle & Square Border 300 x 40 x 8mm (11 1/2" x 1 1/2" x 5/16") - GWSUPS1SBC  
Glass: Volige Offset Sky Single Frosted Mosaic 304 x 304 x 10mm (12" x 12" x 3/8") - GW-VOLMOSOFF

All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Tumbled Triangle Border

## Tumbled Glass Borders

Borders can be used to complement or contrast with tiles through colour and finish. For an air of simplicity, use subtle tones to complement, for a bold statement use contrasting colours with conviction.




Tumbled Large Triangle and Square Border

## Tumbled Large Triangle & Square Borders



Victoria  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-VCTLSBF




Volta  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-VTALSBF



Huron  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-HURLTSBF




Superior  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-SURLTSBF



Geneva  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-GNVLSBF



Calcasieu  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-CALLTSBF



Turiana  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-TRLSBF



Mweru  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-MWRLSBF



Tanganyika  
300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8")  
GW-TGKLSBF

## Tumbled Brick Triangle Border



Volta  
600 x 8mm (22<sup>1</sup>/<sub>2</sub>" x 3/8" x 5/8")  
GW-VTALBTF

## Tumbled Small Triangle & Square Borders



Victoria  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-VCTSSBF



Volta  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-VTASTSBF



Huron  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-HURSTSBF



Superior  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-SUPSSBF



Geneva  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-GNVSTSBF



Calcasieu  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-CALSTSBF



Turiana  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-TRASTSBF



Mweru  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-MWRSTSBF



Tanganyika  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-TGKSTSBF

## Tumbled Triangle Borders



Volta  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-VTATBF



Victoria  
300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8")  
GW-VCTTBF

- ▲ Border: Volta Tumbled Triangle Border 300 x 40 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 1 1/2" x 5/8") - GW-VTABF
  - ◀ Border: Tanganyika Tumbled Large Triangle & Square Border 300 x 75 x 8mm (11<sup>1</sup>/<sub>2</sub>" x 3" x 5/8") - GW-TGKLSBF
  - Stone: Earthworks Crema Border 300 x 29 x 19mm - EW-BNC30
  - Stone: Earthworks Umbrian Gold Filled and Honed 600 x 400 x 12mm - EW-UGF60X40
- All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Formosa  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-FORMMSTR



Sardinia  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-SRDMMSTR



Ducis  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-DUCMMSTR



Vanuatu  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-VANMSTR



Tubuai  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-TUBMMSTR



Ascension  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-ASCMMSTR



Comoro  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-COMMSTR



Zanzibar  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-ZANMSTR



Pembra  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-PEMMSTR



Agalaga  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-AGAMSTR



Scotra  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-SCOMSTR



Tanna  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-TANMSTR

## Paradise Borders

A wonderful array of flavoursome boiled sweets, perfect for any diet as they are totally calorie free! These beautiful borders can either lift or tone, adding colour without the need to be extravagant.



◀ Border: Pembra 300 x 48 x 8mm (24 x 24mm) (11 3/4" x 1 7/8" x 5/16") (15/16" x 5/16") - GW-PEMMSTR


Please refer to 'Important Information' on page 64 for installation guidelines.

All the above dimensions are nominal and are subject to a tolerance of ±2.5mm or 3/32"

Paradise Border 300 x 48 x 8mm (24 x 24mm) (11 3/4" x 1 7/8" x 5/16") (15/16" x 5/16")



Cyclades 300 x 48 x 8mm (11 3/4" x 1 7/8" x 5/16")



**Thera**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-THRCSBL

**Kea**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-KEACSB

**Milos**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-MILCSBL

**Ios**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-IOSCSBL

**Santorini**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-SANCBSL


**Sparti**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-SPACBSL

Cyclades Border 300 x 48 x 8mm (11 3/4" x 1 7/8" x 5/16")



## Cyclades Borders

Subtle, muted yet heart renderingly attractive, the Cyclades borders will fit many styles of interior. Use them horizontally or vertically.



**Kimolos**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-KMLCSB

**Arzafi**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-ANACSB

**Delos**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-DLCSBL

**Kythnos**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-KYCSB

**Tinos**  
300 x 48 x 8mm  
(11 3/4" x 1 7/8" x 5/16")  
GW-TINCSBL

◀ **Border:** Kimolos 300 x 48 x 8mm (11 3/4" x 1 7/8" x 5/16") - GW-KMLCSB  
**Stone:** Earthworks Byzantine Bronze Filled & Honed 406 x 203 x 12mm - EW-BBF40x20  
**Sink:** Earthworks Circular Sink Classic Travertine - EW-SINKDCL

▶ **Border:** Anafi 300 x 48 x 8mm (11 3/4" x 1 7/8" x 5/16") - GW-ANACSB  
**Stone:** Earthworks Handmade Terracotta 200 x 200 x 20mm - EW-HT20


Please refer to 'Important Information' on page 64 for installation guidelines.  
 All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/64"



National Flag 300 x 48 x 8mm (113/4" x 17/8" x 5/16")

## National Flag Borders

Be patriotic! Show your true colours with these fun tiles... or just enjoy the mix of colours as you wish.



National Flag E  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-NFECSBS

National Flag B  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-NFBCSBL

National Flag D  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-NFDSBS

National Flag C  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-NFCSBS

▲ Border: National Flag E 300 x 48 x 8mm (113/4" x 17/8" x 5/16") - GW-NFECSBS


Please refer to 'Important Information' on page 64 for installation guidelines. All the above dimensions are nominal and are subject to a tolerance of  $\pm 2.5\text{mm}$  or  $\pm 1/32"$ .



Bonbons 300 x 48 x 8mm (113/4" x 17/8" x 5/16")

## Bonbon Borders

These gorgeous bubblegum colours are ideal for a children's bathroom: a touch of colour which complements a simple white field tile to perfection.



Princess  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-BBPSBS

Sugarplum  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-BBSSBS

Highlquin  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-BBHSBS

▲ Border: Princess 300 x 48 x 8mm (113/4" x 17/8" x 5/16") - GW-BBPSBS

Please refer to 'Important Information' on page 64 for installation guidelines. All the above dimensions are nominal and are subject to a tolerance of  $\pm 2.5\text{mm}$  or  $\pm 1/32"$ .



Designs Range Clear 200 x 50 x 8.7mm (8" x 2" x 5/16")



Fiji Green - Clear  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-FJIHBBF



Vanua Lea - Clear  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-VANHBBF



Santa Cruz - Clear  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-STCHBBF



Espirita Santo - Clear  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-ESPHBBF



Bakeriac Blue - Clear  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-BALHBBF



Designs Range Frosted 200 x 50 x 8.7mm (8" x 2" x 5/16")



Fiji Green - Frosted  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-FJIHBBF



Vanua Lea - Frosted  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-VANHBBF



Santa Cruz - Frosted  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-STCHBBF



Espirita Santo - Frosted  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-ESPHBBF



Bakeriac Blue - Frosted  
200 x 50 x 8.7mm  
(8" x 2" x 5/16")  
GW-BALHBBF

## Designs Range Clear & Frosted

Echoing a timeless style, the Designs collection of borders can be used in a multitude of ways: regimentally in a row or in an elongated linear fashion. Available in both a clear and frosted finish, these borders can create a delightful splashback or provide a simple element of design.

◀ Border: Santa Cruz 200 x 50 x 8.7mm (8" x 2" x 5/16") - GW-STCHBBF  
Glass: Indus Clear 396 x 196 x 6mm (15 3/4" x 7 7/8" x 1/4") - GW-IND1606C

▶ Border: Espirita Santo 200 x 50 x 8.7mm (8" x 2" x 5/16") - GW-ESPHBBF

Please refer to 'Important Information' on page 64 for installation guidelines. All the above dimensions are nominal and are subject to a tolerance of ±2.5mm or 3/62"



Toba 300 x 48 x 8mm (113/4" x 17/8" x 5/16")

## Toba Borders

Take yourself to the sandy beaches of the Pacific; imagine wandering along the shoreline collecting sea-tumbled pebbles to decorate your home. The Toba borders will transport you to this warm and relaxing haven with the utmost ease.



Bali  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-BALBTB



Sarawak  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-SRWBTB



Bunu  
300 x 48 x 8mm  
(113/4" x 17/8" x 5/16")  
GW-BUNBTB

▲ Border: Bali 300 x 48 x 8mm (113/4" x 17/8" x 5/16") - GW-BALBTB  
Earthworks Tumbled Marble Bianco, 200 x 200 x 10mm - Stone: EW-TMBIANCO20x20 & 300 x 300 x 10mm EW-TMBIANCO30x30

Please refer to 'Important Information' on page 64 for installation guidelines. All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Tumbled Border 200 x 17 x 10mm (8" x 5/8" x 3/8")

## Tumbled Borders

Adding a tactile interest to natural or manmade tiles, these linear borders are individual in every aspect.



Arctic  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-ARTTLB



Volga  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-VOLTLB



Thames  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-THATLB



Mississippi  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-MSPTLB



Mesle  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-MSLTBL



Ganges  
200 x 17 x 10mm (8" x 5/8" x 3/8")  
GW-GANTLB

▲ Border: Volga 200 x 17 x 10mm (8" x 5/8" x 3/8") - GW-VOLTLB  
Stone: Earthworks Dordogne Grey Mosaic 305 x 305 x 10mm - EW-VMDGREY23  
Stone: Earthworks Dordogne Grey 400 x 200 x 12mm - EW-TMDGREY40x20











Please refer to 'Important Information' on page 64 for installation guidelines.



Clear Border 200 x 17 x 10mm (8" x 5/8" x 3/8")

## Clear Borders

Crisp, clean, modern and contemporary, these glistening rails add either colour or interest – or both.

	Arctic GW-ARTCB
	Volga GW-VOLCB
	Thomas GW-THACB
	Mississippi GW-MSPCB
	Colorado GW-CORCB
	Danube GW-DANCB
	Meikong GW-MEACB
	Ganges GW-GANCB
	Zaire GW-ZACB
	Ink GW-INDCB

▲ Borders: Danube 200 x 17 x 10mm (8" x 5/8" x 3/8") - GW-DANCB  
 Border: Arctic 200 x 17 x 10mm (8" x 5/8" x 3/8") - GW-ARTCB  
 Glass: Arctic Clear 398 x 198 x 6mm (15 5/8" x 7 7/8" x 1/4") - GW-ART1606C







Please refer to 'important information' on page 64 for installation guidelines.



Classic Border 152 x 17 x 6mm (6" x 5/8" x 1/4")

## Classic Borders

Chosen to fit seamlessly into an authentic interior, these simple glass rails mix elegantly with classic ceramic field tiles and mouldings.

	Arctic GW-ARTVB
	Thomas GW-THAVB
	Mississippi GW-MSPVB
	Missouri GW-MORVB
	Danube GW-DANVB
	Ganges GW-GANVB

▲ Border: Missouri 152 x 17 x 6mm (6" x 5/8" x 1/4") - GW-MORVB  
 Border: Artworks JetBlack Scroll 152 x 29mm (6" x 1 1/8") - NS923  
 Tiles: Artworks JetBlack Field Tile 152 x 152mm (6" x 6") - NP000













Please refer to 'important information' on page 64 for installation guidelines.



Metallica Strips 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16")

## Metallica Strips

These glamorous borders enhance the contemporary home whether in kitchen or bathroom. Subtle or bright, they add continental chic, whilst you relax and enjoy the finished effect. Available in 12 different colours.

	Galatea 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-GLTBDR
	Proteus 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-PRDBDR
	Draco 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-DRABDR
	Tucana 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-TUCBDR
	Pavo 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-PAVBDR
	Ceres 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-CERBDR
	Hidalgo 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-HIDBDR
	Auriga 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-ARGBDR
	Hyperion 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-HYNBDR
	Thebe 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-THEBDR
	Ganymede 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-GNYBDR
	Hermes 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") GW-HRMBDR

▲ Border: Tucana 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-TUCBDR  
Glass: Metallica Galatea GW-GLT2IOMFT, Proteus GW-PRO2IOMFT, Triton GW-TRT2IOMFT - 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

▶ Border: Auriga 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-ARGBDR  
Border: Hermes 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-HRMBDR  
Tile: La Belle Collection Graphite Field Tile 100 x 100 x 10mm (4" x 4" x 3/8") - NNS900










Please refer to 'important information' on page 64 for installation guidelines.














Metallica Strips 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16")



Clear Highlight Strips 298 x 23.5 x 8mm (113/4" x 13/8" x 5/16")

-  Mackenzie  
GW-MACLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Tisza  
GW-TSCLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Anur  
GW-ANULFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Garonne  
GW-GARLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Nekong  
GW-MEKLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Ahr  
GW-AHRLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Zaire  
GW-ZAILFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Avon  
GW-AVOLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Indus  
GW-INDLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")

-  Arctic  
GW-ARLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Vista  
GW-VOLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Thames  
GW-THALFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Columbia  
GW-COLLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Mississippi  
GW-MSPLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Ahtanook  
GW-ARLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Danube  
GW-DANLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Chico  
GW-CHILFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Ganges  
GW-GANLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Yangtze  
GW-YANLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")
-  Tigris  
GW-TIOLFB  
298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")

## Clear Highlight Strips

Beautiful linear elements of colour mix seamlessly with organic subtlety or modern artifice. Available in 20 colours to satisfy the most demanding of designs.

- ▲ Borders: Thames, Mackenzie & Anur 298 x 23.5 x 8mm (113/4" x 5/16" x 5/16") - GW-THALFB, GW-MACLFB & GW-ANULFB
- ▶ Border: Zaire 298 x 23.5 x 8mm (113/4" x 5/16" x 5/16") - GW-ZAILFB

Please refer to 'important information' on page 64 for installation guidelines.



Clear Highlight Strip 298 x 23.5 x 8mm (113/4" x 5/16" x 5/16")



Clear 100 x 100 x 10mm (4" x 4" x 3/8")



Clear 100 x 100 x 10mm (4" x 4" x 3/8")

## Clear Glass

The essence of the Glassworks collection lies in its simple versatility.

These beautifully proportioned tiles are ideal for traditional or contemporary settings, whether complementing stone or ceramic, or purely on their own.

- ▲ Glass: Arctic Clear 100 x 100 x 10mm (4 x 4 x 3/8") - GW-ART410C  
Ceramic: Mirage 100 x 100 x 10mm (4 x 4 x 3/8") - GW-CMA0404
- ▶ Glass: Yukon Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-YUK410C  
Colour Palette Graphite 100 x 100 x 10mm (4" x 4" x 3/8") - NN5900  
Stone: Apean Mosaic Mykanos 305 x 6mm (12" x 1/4") - EW-AGMYK
- ▼ Glass: Zambesi Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ZAM410C  
Missouri Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-MOR410C  
Colorado Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-COR410C  
Stone: Amazon Green Slate 600 x 400 x 10mm, 300 x 300 x 10mm, 100 x 100 x 10mm  
- EW-AGGX40, EW-AGGX30, EW-AGDX10

Please refer to page 61 for all colour and size options available.




Clear 100 x 100 x 10mm (4" x 4" x 3/8")





## Frosted, Tumbled & Metallica Tiles

These tiles are available in a multitude of tones, colours and sizes, whether frosted, tumbled as if from a pebble beach or with a striking metallica base.




FROSTED

TUMBLED

Arctic  
Volga  
Columbia  
Mississippi  
Amazon  
Nile  
Zambezi  
Congo  
Colorado  
Missouri  
Seine  
Loire  
Moselle  
Danube  
Rhine  
Murray  
Bosphorus  
Tagus  
Elbe  
Euphrates  
Orinoco  
Yangtze  
Ganges  
Yukon  
Thames

METALLICA



Triton  
Galatea  
Proteus  
Hyperion  
Titania  
Ganymede  
Thebe  
Hermes

## Frosted & Tumbled Tiles Colour Reference - pages 14 - 19

48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")  
100 x 100 x 5mm (4" x 4" x 3/16")  
100 x 100 x 10mm (4" x 4" x 3/8")  
152 x 50 x 6mm (6" x 2" x 1/4")  
152 x 152 x 6mm (6" x 6" x 1/4")  
398 x 90 x 6mm (15 5/8" x 3 5/8" x 1/4")

FROSTED

Amazon	GW-AMA210F	GW-AMA410F	GW-ART1636F
Arctic	GW-ART210F	GW-ART410F	GW-ART656BF
Bosphorus	GW-BOS210F	GW-BOS410F	
Colorado	GW-COR210F	GW-COR410F	
Columbia	GW-COL210F	GW-COL405F	GW-COL606F
Congo	GW-CON210F	GW-COM410F	
Danube	GW-DAN210F	GW-DAN405F	GW-DAN606F
Elbe	GW-ELB210F	GW-ELB410F	
Euphrates	GW-EUP210F	GW-EUP405F	GW-EUP606F
Ganges	GW-GAN210F	GW-GAN405F	GW-GAN606F
Loire	GW-LOR210F	GW-LOR410F	
Mississippi	GW-MSP210F	GW-MSP410F	
Missouri	GW-MOR210F	GW-MOR405F	GW-MOR606F
Moselle	GW-MSL210F	GW-MSL410F	
Murray	GW-MUR210F	GW-MUR410F	
Nile	GW-NIL210F	GW-NIL410F	
Orinoco	GW-ORN210F	GW-ORN410F	
Rhine	GW-RHN210F	GW-RHN410F	
Seine	GW-SEN210F	GW-SEN405F	GW-SEN606F
Tagus	GW-TAG210F	GW-TAG410F	
Thames	GW-THA210F	GW-THA410F	GW-THA636F
Volga	GW-VOL210F	GW-VOL405F	GW-VOL606F
Yangtze	GW-YAN210F	GW-YAN405F	GW-YAN606F
Yukon	GW-YUK210F	GW-YUK410F	
Zambezi	GW-ZAM210F	GW-ZAM405F	GW-ZAM606F

TUMBLED FINISH

Arctic	GW-ART410T		
Colorado	GW-COR410T		
Columbia	GW-COL410T		
Ganges	GW-GAN410T		
Thames	GW-THA410T		
Volga	GW-VOL410T		

## Metallica Glass Tiles Reference Chart - pages 20 - 23

48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")  
100 x 100 x 10mm (4" x 4" x 3/8")  
150 x 75 x 10mm (5 7/8" x 3" x 3/8")

Galatea	GW-GLT210MFT	GW-GLT410MFT	GW-GLT610SFT
Ganymede	GW-GNY210MFT	GW-GNY410MFT	GW-GNY610SFT
Hermes	GW-HRM210MFT	GW-HRM410MFT	GW-HRM610SFT
Hyperion	GW-HYN210MFT	GW-HYN410MFT	GW-HYN610SFT
Proteus	GW-PRO210MFT	GW-PRO410MFT	GW-PRO610SFT
Thebe	GW-THZ210MFT	GW-THZ410MFT	GW-THZ610SFT
Titania	GW-TTA210MFT	GW-TTA410MFT	GW-TTA610SFT
Triton	GW-TRT210MFT	GW-TRT410MFT	GW-TRT610SFT

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:  
**COOKERS** - REDFYRE [www.redfyrecookers.co.uk](http://www.redfyrecookers.co.uk)  
**FLOWERS** - FLORAL SPIRIT - 01392 496198  
**KITCHEN ACCESSORIES** - DEBENHAM'S [www.debenhams.com](http://www.debenhams.com)  
**KITCHEN & BATHROOM ACCESSORIES** - ECLLECTIQUE [www.eclectique.co.uk](http://www.eclectique.co.uk)  
**ORANGE TREE INTERIORS** [www.theorangetreecollective.com](http://www.theorangetreecollective.com)  
**LIGHTING** - [www.lights2u.co.uk](http://www.lights2u.co.uk)

MENSWEAR - CODY - 01392 213880  
 ORNAMENTS - ASHORE - 01392 477763  
 RADIATORS - VOGUE UK [www.vogue-uk.com](http://www.vogue-uk.com)  
 SANITARYWARE FIXTURES AND FITTINGS - SAMUEL HEATH [www.samuelheath.com](http://www.samuelheath.com)  
 TAP - DEVA [www.devatap.co.uk](http://www.devatap.co.uk)  
 WOMENSWEAR - CREDE - 01392 21009  
 WOODEN SINKS - WILLIAM GARVEY - 01404 841430

# Important Information

## English

### DIMENSIONS

Nominal dimensions for all Original Style glass tiles are shown throughout the brochure. Owing to their hand finished character, actual dimensions for individual tiles will vary from these figures. In addition, we recommend you allow for at least an additional 5% for cutting/wastage.

### SHADING

As each tile is individually coloured, there may be distinctive yet subtle variations in shade. This is an inherent feature of Original Style's glass tiles. You may wish, therefore, to spend some time to achieve the most pleasing distribution of shades before fixing. Each decorative tile is handmade therefore unique in finish. When planning designs it is important to lay the tiles prior to fixing. Due to the different density, 3mm and 10mm tiles will vary in tone.

### INSTALLATION

As with any other glass product, ensure Glassworks tiles are handled with care. In particular, where tiles are being cut or have been broken. Please ensure that the surface do not come into contact with each other or sharp/abrasive objects. Appropriate safety precautions should be taken if cutting glass, including protective equipment for hands and eyes.

Original Style Glass Tiles are not recommended for exterior use. We do not recommend using Glass Strip Borders on areas subject to movement, i.e. timber walls, as the substrate may cause glass strips to fracture.

Other Original Style products, such as ceramic tiles and stone, which are shown in this brochure, have their own installation requirements. Please ensure you refer to the relevant Original Style brochure for these products before installing.

Adhesive must be applied evenly due to the transparent nature of some tiles. Failure to do this can lead to the adhesive being visible through the tiles in certain light. This applies in particular to the decorative and mosaic ranges.

For glass tiles, in particular, before commencing installation it is important to read the **Glassworks Installation Guidelines – Fixing and Cleaning Instructions** (applicable in the United Kingdom only).

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with American National Standards Institution (ANSI) specifications as set out in the **Handbook for Ceramic Tile Installation** published by the Tile Council of America.

### ADHESIVES

It is important to choose an adhesive with a high polymer content and a grout to suit. The adhesive must be thin set and never bedded as shrinkage will affect some plain backed tiles, therefore we do not recommend mixing different thicknesses of gasses unless you are trying to achieve a 3D effect, other wise always use the same thickness of tiles.

### GROUTING

When using glass inserts a flexible grout must be used for the whole installation. Before grouting always cover glass drop in tiles with masking tape to avoid scratching.

Particular care should be taken to use the correct grout.

Read carefully and follow the manufacturer's instructions. Original Style does not recommend using coloured grouts unless the adhesive supplier has stated that the coloured grout is suitable for use with glass tiles.

Original Style would recommend a grout space of approximately 2mm for the plain backed tiles. Due to the transparent nature of the clear glass tiles it is imperative to dry lay the tiles before fixing to establish correct grout spacing.

### EQUINOX TILES

Colour and patina vary within this range and should be considered when installing.

Avoid slurry grouting these tiles, finger grout around the tile to avoid getting the grout in the patina.

### IRIDESCENT DROP-IN TILES

Due to production methods used in creating this range it is important to use a thicker/stiffer consistency of grout to avoid leaching between the layers.

Colour variation is inherent with these tiles which should be considered when planning your tiling.

The clear Drop-in tiles can be fixed either side. It is therefore important to achieve the desired effect before fixing.

Additionally, please note the level of reflectivity can be influenced by the depth of grout. Test before fixing to achieve the desired effect.

### CLEANING

Wash down glass tile surfaces with clean water or a normal spirit, glass or window cleaner. Please ensure a soft cloth is used to avoid scratching.

### SCRATCHING

As with all glass products, glass tiles can be scratched. We recommend that care is taken in installation and that glass tiles are not put in high-risk areas for scratching.

### USE OF GLASS TILES ON COUNTER TOP SURFACES

Original Style does not recommend glass tiles are used on counter tops, see scratching above.

### USE OF GLASS TILES NEAR HEAT

Original Style recommends tiles are installed a minimum of 3cm from any heat source. This will include any hot water pipe-work concealed in walls and any radiant heat sources such as heated towel rails or radiators.

### PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

### LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its tiles, in the case of any claim relating to the tiles themselves. Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed.

Please be advised that installation constitutes acceptance of the quality, colour, texture and shade of tiles.

Original Style warrants that its tiles conform to their description and are fit for their pur-pose.

Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

## Français

### DIMENSIONS

Les dimensions nominales de tous les carreaux de verre Original Style sont indiquées au fil de la brochure. Ces carreaux, étant de fabrication artisanale, les dimensions réelles de chaque carreau peuvent être différentes des chiffres indiqués. Nous vous recommandons de vérifier au préalable les dimensions de vos carreaux avant de les découper/fixer.

### TEINTES

Les carreaux de verre étant colorés individuellement, ils peuvent présenter des variations et nuances subtiles mais distinctives. Il s'agit là d'un trait de caractère propre aux carreaux de verre Original Style. Nous vous conseillons par conséquent de consacrer un peu de temps à l'obtention d'une répartition la plus satisfaisante de couleurs et de tons avant de commencer la pose. Chaque carreau décoratif est fabriqué à la main, ce qui lui confère un caractère unique. Si vous souhaitez créer des motifs, il est important de disposer les carreaux au sol avant de les coller. Pour des raisons de densité, la tonalité des carreaux de 5 mm est différente de ceux de 10 mm.

### INSTALLATION

Comme tous les autres produits en verre, les carreaux de la série Glassworks doivent être manipulés avec soin, notamment pendant la découpe ou s'ils ont été cassés. Veillez à ce que les surfaces des carreaux n'entrent pas en contact ou avec d'autres objets tranchants/abrasifs. La découpe de verre nécessite le respect de certaines précautions de sécurité, notamment le port de protections sur les mains et les yeux. Les carreaux de verre Original Style ne sont pas recommandés pour une utilisation en extérieur. Nous ne recommandons pas l'usage de bordures en verre sur les zones sujettes à décoloration, notamment sur les cloisons en bois, sur lesquelles le verre risque de se fendre.

L'installation des autres produits Original Style présentés dans la brochure, tels que les carreaux de céramique et les dalles en pierre, nécessite des précautions différentes. Veuillez vous reporter à la brochure Original Style correspondante avant de procéder à l'installation.

Certains carreaux étant transparents, la colle doit être réparée uniformément. Si la colle est mal étalée, elle sera visible à travers les carreaux sous certains éclairages. Cette précaution s'applique notamment aux gammes décoratives et à la mosaïque. Concernant les carreaux de verre, il est important, avant de commencer l'installation, de lire les Directives d'installation des carreaux de verre - Instructions de collage et de nettoyage (applicables au Royaume-Uni uniquement).

Les habitants des États-Unis (Amérique du Nord) sont référés aux recommandations d'un fabricant établi de colle pour carrelage et veiller à respecter les spécifications ANSI (American National Standard Institution) telles que définies dans l'ouvrage intitulé Handbook for Ceramic Tile Installation publié par le Tile Council of America.

### COLLES

Il est important de choisir une colle possédant une teneur élevée en polymère ainsi que des joints adaptés. La colle doit être appliquée en couche fine et ne doit jamais être appliquée en couches successives, car le retrait affecte la peinture au dos de certains carreaux. Par conséquent, nous déconseillons le mélange de différentes épaisseurs de verre, sauf si vous souhaitez obtenir un effet 3D. Dans toutes les autres situations, utilisez toujours des carreaux de l'épaisseur identique.

### JOINTS

Nous utilisons des métaux en verre, vous devez utiliser des joints flexibles sur l'ensemble de l'installation. Avant de commencer, recouvrez toujours les carreaux avec de la bande à masquer pour éviter les éraflures.

Le choix d'un mélange pour joints adéquat est essentiel.

Lisez attentivement les instructions du fabricant.

Original Style ne recommande pas l'utilisation de joints colorés, sauf si l'est stipulé que le mélange est adapté à une utilisation avec des carreaux de verre.

Original Style recommande des joints de 2 mm environ pour les carreaux unis et les motifs unis et des joints de verre étanche de 3 mm environ pour les carreaux à motifs et avant de coller les carreaux afin de déterminer la taille idéale des joints.

**CARREAUX EQUINOX**  
La couleur et la patine de cette gamme peuvent être différentes d'un carreau à l'autre. Tenez-en compte au moment de la pose.  
Évitez de verser le joint sur ses carreaux. Réparez-les le au doigt autour du carreau pour éviter d'en mettre dans la patine.

### CARREAUX IRIDESCENT DROP-IN

Les procédés de fabrication de cette gamme nécessitent l'utilisation d'une pâte plus épaisse pour éviter les couleurs entre les carreaux.  
Les variations de couleurs font partie intégrante de ces carreaux. Tenez-en compte au moment de la disposition du carrelage.

Les carreaux Drop-in transparents sont réversibles. Il est donc important de vérifier l'obtention de l'effet souhaité avant de coller.  
Veillez de plus noter que le pouvoir réfléchissant peut être influencé par l'épaisseur du joint. Procédez à des essais avant de coller pour obtenir l'effet souhaité.

### NETTOYAGE

Rincez les surfaces carrelées à l'eau propre, ou avec de l'alcool, ou encore en nettoyant pour vitres. Utilisez un chiffon doux pour éviter les éraflures.

### RAYURES

Comme tous les produits en verre, les mosaïques en carreau de verre se raient facilement. Original Style recommande le plus grand soin lors de l'installation.  
N'ayez pas les carreaux de verre dans des zones où les mosaïques risquent d'être rayées.

**UTILISATION DES MOSAÏQUES DE VERRE EN DESSUS DE COMPTOIR**  
Original Style ne recommande pas l'utilisation de mosaïques de verre sur les dessus de comptoir. Voir la rubrique "Rayures" ci-dessus.

**UTILISATION DES MOSAÏQUES DE VERRE A PROXIMITÉ D'UNE SOURCE DE CHALEUR**  
Original Style recommande d'installer les mosaïques de verre à au moins 3 cm des sources de chaleur. Soit incluses ici toutes les tuyauteries d'eau chaude dissimulées à l'intérieur des cloisons ainsi que toutes les sources de chaleur rayonnantes telles que les sèche-serviettes ou les radiateurs.

### PHOTOGRAPHIES

L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les carreaux de carreau présentés dans ce catalogue. Avant de passer commande, il est toujours préférable de vous procurer des échantillons auprès d'un revendeur Original Style.

### LIMITATION DE RESPONSABILITE

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses carreaux. En cas de réclamation relative aux carreaux en eux-mêmes, la responsabilité d'Original Style se borne, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas la réclamation ne sera prise en compte une fois les carreaux installés.

Nous attirons votre attention sur le fait que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture et de la teinte des carreaux.

Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus.

Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usage ou des procédures d'entretien.

Nous attirons votre attention sur le fait que certains produits détergents à base d'acide peuvent provoquer une réaction des carreaux altérant leur caractère.

## Deutsch

In der Broschüre sind die Abmessungen für alle Glasfliesen von Original Style in Nennwerten angegeben. Da sie in Handarbeit hergestellt werden, können die tatsächlichen Abmessungen einzelner Fliesen von diesen Werten abweichen. Außerdem empfiehlt es sich, mindestens 5% mehr Material für etwaige Brüche oder Abschnitt zuzuschneiden.

### SCHÄTTERUNG

Da jede Fliese eine individuelle Farbgebung besitzt, kann es bei den Schattierungen zwar deutliche aber keine Abstufungen geben. Das ist ein ganz eigenes Merkmal bei Glasfliesen von Original Style. Bewegungen werden Sie vermutlich vor dem Anbringen erst einmal etwas Zeit benötigen, um die beste Verteilung der Schattierungen zu erlangen. Ein Plan kann ein bestimmtes Aussehen, dann sollten die Fliesen vor dem Anbringen schon einmal zur Probe angelegt werden. Aufgrund ihrer unterschiedlichen Dichte unterscheiden sich die 5mm- und 10mm-Fliesen im Farbton.

### INSTALLATION

Wie auch bei jedem anderen Glasblei sollten Sie mit den Fliesen vorsichtig umgehen, um Kratzer zu vermeiden. So wie bei anderen Glasprodukten sollten Sie sich nicht betühren oder mit scharfen oder abschleifenden Gegenständen in Kontakt kommen. Beim Zerschneiden des Glases sollten entsprechende Sicherheitsvorkehrungen getroffen werden. Dazu gehören auch Handschuhe und Schutzbrille.

Fliesen von Original Style eignen sich nicht für die Außenanwendung. Zierkanten aus Glas sind bei beweglichen Untergründen nicht zu empfehlen, z.B. Holzwände, da der Untergrund und die Glasstreifen von Brechen bringen können.

Bei anderen Arten von Original Style, wie beispielsweise Keramik- und Steinfliesen, die in dieser Broschüre zu sehen sind, gibt es wieder ganz andere Installationsanforderungen. Vor der Installation dieser Artikel sollten sie die entsprechende Broschüre von Original Style konsultieren.

Der Kleber muss gleichmäßig aufgetragen werden, da manche Fliesen durchsichtig sind. Sollte das nicht erfolgen, scheint der Kleber womöglich bei bestimmten Lichterfall durch. Das trifft ganz besonders auf die Dekor- und Mosaikauswahl zu. Bei Glasfliesen ist es ganz besonders wichtig, vor der Installation die Anleitungen zur Installation von Glasfliesen - Hinweise zum Anbringen und Reinigen (nur für Großbrillanten anwendbar) zu lesen.

Wenn Sie in den USA wohnen, dann folgen Sie den Anweisungen eines renommierten Herstellers für Kleber und beachten Sie dabei immer die Spezifikationen des amerikanischen Standardnormenverbands (ANSI), wie sie im Handbuch für die Installation von Keramikfliesen vorgeschrieben sind, das vom Tile Council of America herausgegeben wurde.

### KLEBER

Bei der Auswahl des Klebers sollten Sie auf einen hohen Polymer-Anteil achten und einen passenden Mörtel. Der Kleber ist dünn aufzutragen und niemals in Schichten, da dies das Schrumpfen auf manche der unterstrichenen Fliesen auswirkt. Daher sollten unterschiedliche Glasdicken nicht kombiniert werden, es sei denn Sie wünschen einen 3D-Effekt. Verwenden Sie ansonsten immer die gleiche Fliesenstärke.

### VERFUGEN

Beim Verwenden von Glasfliesen ist für die Installation ein flexibles Material zum Verfugen zu benutzen. Vor dem Verfugen sollten Sie die Entropf-Glasfliesen immer abkleben, damit sie nicht verkratzt werden können.

Besonders wichtig ist die Auswahl der richtigen Fugenmasse.

Lesen Sie die Anleitung des Herstellers aufmerksam durch und gehen Sie entsprechend vor.

Original Style rät von der Verwendung farbiger Fugenmasse ab, es sei denn, sie kam nach Anpassen des Lieferanten bei Glasfliesen verwendet werden.

Original Style empfiehlt für das Pläne und das Mosaikblei seinen Fugenabstand von 2 mm. Original Style empfiehlt für die Drop-In Tiles einen Fugenabstand von 3 mm. Vor dem Anbringen zur Probe angelegt werden um den richtigen Fugenabstand zu ermitteln.

### EQUINOX-FLIESEN

Farbe und Patina sind bei dieser Serie sehr variabel, was Sie bei der Installation berücksichtigen sollten.

Vermeiden Sie es, diese Fliesen mit einer dünnflüssigen Fugenmasse zu verarbeiten und verteilen Sie die Fugenmasse vorsichtig mit dem Finger um die Fliese herum, um zu vermeiden, dass sie auf die Patina gelangt.

### IRISIERENDE ENTROPF-FLIESEN

Wegen der Produktionsverfahren, die für die Herstellung dieser Serie angewendet werden, ist es wichtig, eine dicke / feste Konsistenz bei der Fugenmasse zu verwenden, damit die Fugenmasse nicht in die Fliesenschnitzung eintritt.

Farbvariationen sind bei diesen Fliesen ein fester Bestandteil, und Sie sollten dies bei Ihrer Planung zum Fliesenverlegen berücksichtigen.

Die klaren Entropf-Fliesen können beliebig ausgerichtet werden. Deshalb können Sie den gewünschten Effekt nur vor dem Anbringen erreichen.

Achten Sie außerdem bitte darauf, dass der Grad der Reflektivität durch die Tiefe der Fugenmasse beeinflusst wird. Machen Sie vor dem Anbringen der Fliesen ein paar Tests, um den gewünschten Effekt zu erzielen.

### REINIGUNG

Waschen Sie die Oberfläche der Glasfliesen mit klarem Wasser, oder normalem Spiritus, Glas- oder Fensterreiniger ab. Verwenden Sie dazu ein weiches Tuch, um Kratzer zu vermeiden.

### VERKRATZEN

Glasfliesen können, wie alle anderen Glasartikel auch, verkratzt werden. Daher sollte darauf bei der Installation besonders geachtet werden und die Glasfliesen an einem entsprechend streifen OH gelagert gelagert.

### VERWENDUNG VON GLASFLIESEN ALS ARBEITSPLATZEN

Original Style rät Ihnen von der Verwendung von Glasfliesen für Arbeitsplatten ab. Grund ist die oben erwähnte Anfälligkeit für Kratzer.

**VERWENDUNG VON GLASFLIESEN IN DER NÄHE VON HEIZKÖRPERN**  
Original Style empfiehlt, bei der Installation der Fliesen einen Abstand von mindestens 3 cm zu allen direkten Heizkörpern einzuhalten. Das betrifft auch alle Heizwasserleitungen, die sich hinter der Wand befinden und alle anderen Hitze abgebenden Geräte wie Handtuchtrockner oder Radiatoren.

### PHOTOGRAPHIE

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

### HAFTUNGSBESCHRÄNKUNG

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikel austausch oder Kostenerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation hinsichtlich Qualität, Farbgebung, Textur oder Schattierung keine Beanstandungen anzeigen.

### Original Style gewährleistet die Beanspruchungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Eignung der Artikel für besondere Installationsarten. Wir geben wieder ausdrücklich zum implizite eine Garantieverlängerung auf A-Bnutzungsverhalten oder Wartungsauftrag.

Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.



Clear 100 x 100 x 10mm (4" x 4" x 3/8")

## Clear Glass

Blend colours and tones to produce stunningly original works of art for your home. The sparkling qualities of glass are enhanced as light reflects and radiates from every single tile.



Clear 152 x 50 x 6mm (6 x 2 x 1/4")





- ▶ Glass: Chenab Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CHB410C
- ▶ Glass: Krishna Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-KR410C
- ▶ Glass: Ebro Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-EB410C
- ▶ Glass: Yangtze Clear 152 x 50 x 6mm (6" x 2" x 1/4") - GW-YAN656BC

Please refer to page 61 for all colour and size options available.

# Reflect

on the brilliance of glass...

Glass has been used in the decoration of buildings for a thousand years. Now, in the 21st Century, its unique, reflective qualities have been redefined. The superb Glassworks collection from Original Style makes it possible for you to enjoy the translucent beauty of this versatile and colourful material on interior surfaces throughout the home.



## Contents

Contents	Page
Clear Glass	02
Frosted & Tumbled Glass	14
Metallica Glass	20
Co-ordinating Ceramics	24
Decorative Glass - Constellation	28
Decorative Glass - Iridescent Drop-Ins	30
Decorative Glass - Lunar & Equinox	32
Decorative Glass - Confetti	34
Decorative Glass - Float & Foil	36
Decorative Glass - Iridescent	38
Borders	40
Colour reference charts	60
Technical Information (Important, please read before ordering)	64

Continuing the fine traditions of generations of master craftsmen, every Glassworks tile is individually cut, coloured and finished entirely by hand, combining a distinctive character with cool, contemporary chic.

You can tile in glass alone. You can blend the clear, brilliant tiles with the softer style of our frosted finish (it's just like glass that has been tumbled by the sea on a pebbled beach) or you can harmonise the decorative ranges of handmade glass as feature pieces with other materials such as natural stone or ceramics. Whatever your preference, we hope you will find this brochure a source of sheer inspiration.