

# KASHMIR

Formato - Spessore / Size - Thickness  
Format - Epaisseur / Format - Stärke / Размер - Толщина

## GRES PORCELLANATO SMALTATO

GLAZED PORCELAIN STONEWARE

GRES CERAME EMAILLE

GLASIERTES FEINSTEINZEUG

ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ

**45x45 / 18"x18" - 9,5 mm**

**33,3x33,3 / 13"x13" - 8,6 mm**



### CARATTERISTICHE TECNICHE / TECHNICAL DATA

CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **G** gruppo **Bla**

Complies with **EN 14411 (ISO 13006)** Appendix **G** Group **Bla**

Conforme à la norme **EN 14411 (ISO 13006)** Appendice **G** groupe **Bla**

Entsprechend **EN 14411 (ISO 13006)** Anhang **G** Gruppe **Bla**

Соответствует норме **EN 14411 (ISO 13006)** Приложение **G** группа **Bla**

**45x45 / 18"x18"**  
**33,3x33,3 / 13"x13"**

- ISO 10545-2  
±0,3%
- ISO 10545-2  
±0,3%
- ISO 10545-3  
CONFORME / COMPLIES WITH
- ISO 10545-4  
S ≥1500 N R ≥40 N/mm<sup>2</sup>
- EN 101  
CONFORME / COMPLIES WITH
- ISO 10545-8  
≤7 MK<sup>-1</sup>
- ISO 10545-9  
RESISTE / RESISTANT
- ISO 10545-11  
RESISTE / RESISTANT
- ISO 10545-12  
RESISTE / RESISTANT
- METODO B.C.R.A.  
<0,40
- ASTM C 1028 (S.C.O.F.)  
≥0,60 DRY ≤0,50 WET
- DIN 51130  
N.C.
- ISO 10545-13  
RESISTE / RESISTANT
- ISO 10545-14  
5

Rivestimenti coordinati pag. 178 / Coordinated wall tiles on page 178  
Revêtements de mur coordonnés page 178 / Wandfliesen auf Seite 178  
соответствующая плитка для стен на стр. 178



# KASHMIR

45x45 / 18"x18" - 9,5 mm  
33,3x33,3 / 13"x13" - 8,6 mm



50I3 Kashmir Avorio  
45x45 - 18"x18"

PEI 5



50I1 Kashmir Beige  
45x45 - 18"x18"

PEI 5



40I3 Kashmir Avorio  
33,3x33,3 - 13"x13"

PEI 5



40I1 Kashmir Beige  
33,3x33,3 - 13"x13"

PEI 5



4of3 Kashmir Avorio Greca  
10x33,3 - 4"x13"



4oa3 Kashmir Avorio Angolo  
10x10 - 4"x4"



4of1 Kashmir Beige Greca  
10x33,3 - 4"x13"



4oa1 Kashmir Beige Angolo  
10x10 - 4"x4"



50I2 Kashmir Dorato  
45x45 - 18"x18"

PEI 5



40I2 Kashmir Dorato  
33,3x33,3 - 13"x13"

PEI 5



4of2 Kashmir Dorato Greca  
10x33,3 - 4"x13"



4oa2 Kashmir Dorato Angolo  
10x10 - 4"x4"



4Of3 Kashmir Avorio Fascia Met. \*\*  
5,5x33,3 - 2"x13"



4Od3 Kashmir Avorio Dec. Met.  
5,5x16,5 - 2"x6"







1BMS Marfil Bottone  
Marmo Scabos \*  
4,8x4,8 - 1,9"x1,9"



1BMP Marfil Bottone  
Marmo Perlino \*  
4,8x4,8 - 1,9"x1,9"

\* Inserti in marmo naturale.  
Listels en marbre naturel.  
Intarsien aus Naturmarmor.  
Inserts in natural marble.  
элементы из натурального мрамора.

\*\* Inserto in metallo.  
Pièce spéciale en métal.  
Metall-Einleger.  
Metal insert.  
Вставка из металла

KASHMIR		PEZZI SPECIALI / PIÈCES SPÉCIALES SONDERTEILE / SPECIAL PIECES Специальные изделия.
		 Battiscopa 8x33,3 - 3,2"x13"
	Kashmir Avorio	BOI3
	Kashmir Beige	BOI1
	Kashmir Dorato	BOI2

# KASHMIR

**Formato - Spessore / Size - Thickness**  
Format - Epaisseur / Format - Stärke / Размер - Толщина

**Finitura / Finish**  
Finition / Oberflächenausführung / Отделка

## MOSAICO IN MONOCOTTURA

SINGLE-FIRED MOSAIC  
MOSAÏQUE EN MONOCUISSON  
STEINZEUG-MOSAÏK  
МОЗАИКА ИЗ ПЛИТКИ ОДНОКРАТНОГО ОБЖИГА

**10x10 / 4"x4" - 6,8 mm**

**Satinato / Satin**  
Satiné / Satiniert / Сатинированный



### CARATTERISTICHE TECNICHE / TECHNICAL DATA

CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **K** gruppo **BIIb**  
Complies with **EN 14411 (ISO 13006)** Appendix **K** Group **BIIb**  
Conforme à la norme **EN 14411 (ISO 13006)** Appendice **K** groupe **BIIb**  
Entsprechend **EN 14411 (ISO 13006)** Anhang **K** Gruppe **BIIb**  
Соответствует норме **EN 14411 (ISO 13006)** Приложение **K** группа **BIIb**



ISO 10545-2  
CONFORME / SUITABLE FOR



ISO 10545-4  
S ≥500 N R ≥18 N/mm<sup>2</sup>



ISO 10545-13  
GA GLA



ISO 10545-14  
5

### PAVIMENTO COORDINATO / SUITABLE FLOOR CERAMIC TILES \*

CARREAUX DE SOL CONSEILLES / PASSENDE BODENFLIESEN  
РЕКОМЕНДОВАННАЯ НАПОЛЬНАЯ ПЛИТКА

### GRES PORCELLANATO SMALTATO

GLAZED PORCELAIN STONEWARE  
GRES CERAME EMAILLE  
GLASIERTES FEINSTEINZEUG  
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ

**Formato - Spessore / Size - Thickness**

Format - Epaisseur / Format - Stärke / Размер - Толщина

**Finitura / Finish**

Finition / Oberflächenausführung / Отделка

**33,3x33,3 / 13"x13" - 8,6 mm**

**Satinato / Satin**

Satiné / Satiniert / Сатинированный

### CARATTERISTICHE TECNICHE / TECHNICAL DATA

CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **G** gruppo **Bla**  
Complies with **EN 14411 (ISO 13006)** Appendix **G** Group **Bla**  
Conforme à la norme **EN 14411 (ISO 13006)** Appendice **G** groupe **Bla**  
Entsprechend **EN 14411 (ISO 13006)** Anhang **G** Gruppe **Bla**  
Соответствует норме **EN 14411 (ISO 13006)** Приложение **G** группа **Bla**



ISO 10545-2  
±0,3%



ISO 10545-2  
±0,3%



EN 101  
CONFORME / SUITABLE FOR



ISO 10545-4  
S ≥1500 N R ≥40 N/mm<sup>2</sup>



ISO 10545-13  
GA GLA GHA



ISO 10545-14  
5


### \* Pavimento Coordinato - Volume Pavimenti pag. 182

Coordinated Floor - Floor Volume page 182

Revêtement de sol Coordonné - Volume Revêtements de sol page 182

Kombinierte Bodenfliesen - Band Bodenfliesen Seite 182

Координированный Пол - Раздел Полы стр. 182



# KASHMIR

10x10 / 4"x4" - 6,8 mm



1013 Kashmir Avorio  
10x10 - 4"x4"



1011 Kashmir Beige  
10x10 - 4"x4"



10r3 Kashmir Avorio 10 Fr. Mix  
10x10 - 4"x4"




10r1 Kashmir Beige 10 Fr. Mix  
10x10 - 4"x4"



LOr3 Kashmir Avorio 10 List. Fr.  
3x20 - 1,2"x8"



LTf3 Kashmir Avorio Fascia Met.  
3,2x20 - 1,4"x8"



LOr1 Kashmir Beige 10 List. Fr.  
3x20 - 1,2"x8"



LTf1 Kashmir Beige Fascia Met.  
3,2x20 - 1,4"x8"



1of4 Kashmir  
Avorio Ins. Met. Dec.  
10x10 - 4"x4"



LTd3 Kashmir Avorio  
Dec. Met.  
3,2x10 - 1,4"x4"



1ot3 Kashmir  
Avorio 10 Ins. T  
10x10 - 4"x4"



LOt1 Kashmir 10 List. T  
2,5x10 - 1"x4"



1of1 Kashmir  
Beige Ins. Met. Dec.  
10x10 - 4"x4"



LTd1 Kashmir Beige  
Dec. Met.  
3,2x10 - 1,4"x4"



1ot1 Kashmir  
Beige 10 Ins. T  
10x10 - 4"x4"



LOt1 Kashmir 10 List. T  
2,5x10 - 1"x4"

**PAVIMENTO COORDINATO** / SUITABLE FLOOR CERAMIC  
TILES CARREAUX DE SOL CONSEILLES / PASSENDE BODENFLIESEN  
РЕКОМЕНДОВАННАЯ НАПОЛЬНАЯ ПЛИТКА

**33,3x33,3 / 13"x13"**

**GRÈS PORCELLANATO SMALTATO** / GLAZED PORCELAIN STONEWARE  
GRÈS CÉRAME ÉMAILLÉ / GLASIERTES FEINSTEINZEUG  
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ



4013 Kashmir Avorio  
33,3x33,3 - 13"x13"

PEI 5



4011 Kashmir Beige  
33,3x33,3 - 13"x13"

PEI 5



10I2 Kashmir Dorato  
10x10 - 4"x4"



1or2 Kashmir Dorato 10 Fr. Mix  
10x10 - 4"x4"



L0r2 Kashmir Dorato 10 List. Fr.  
3x20 - 1,2"x8"



LTf2 Kashmir Dorato Fascia Met.  
3,2x20 - 1,4"x8"



1of2 Kashmir  
Dorato Ins. Met. Dec.  
10x10 - 4"x4"



LTd2 Kashmir Dorato  
Dec. Met.  
3,2x10 - 1,4"x4"



1ot2 Kashmir  
Dorato 10 Ins. T  
10x10 - 4"x4"










LOt1 Kashmir 10 List. T  
2,5x10 - 1"x4"

**KASHMIR**

**PEZZI SPECIALI / PIÈCES SPÉCIALES**

SONDERTEILE / SPECIAL PIECES / СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ.

		 Listello P 5,5x16,5 - 2,2"x6,6"	 Listello P A/E H. 5,5 - H. 2,2"	 Canaletta 3x10 - 1,2"x4"	 Canaletta Angolo 3x3 - 1,2"x1,2"
	Kashmir Avorio	LOi3	10i3	Loi3	10i3
	Kashmir Beige	LOi1	10i1	Loi1	10i1
	Kashmir Dorato	LOi2	10i2	Loi2	10i2

**PAVIMENTO COORDINATO / SUITABLE FLOOR CERAMIC**  
TILES CARREAUX DE SOL CONSEILLES / PASSENDE BODENFLIESEN  
РЕКОМЕНДОВАННАЯ НАПОЛЬНАЯ ПЛИТКА

**33,3x33,3 / 13"x13"**

**GRÈS PORCELLANATO SMALTATO / GLAZED PORCELAIN STONEWARE**  
GRÈS CÉRAME ÉMAILLÉ / GLASIERTES FEINSTEINZEUG  
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ



40I2 Kashmir Dorato  
33,3x33,3 - 13"x13"

PEI 5