

VENETO

Formato - Spessore / Size - Thickness
Format - Epaisseur / Format - Starke / Размер - Толщина

GRES PORCELLANATO SMALTATO

GLAZED PORCELAIN STONEWARE
GRES CERAME EMAILLE
GLASIERTES FEINSTEINZEUG
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ

50x50 / 20"x20" - **9,5 mm**
33,3x33,3 / 13"x13" - **8,6 mm**



CARATTERISTICHE TECNICHE / TECHNICAL DATA

CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **G** gruppo **Bla**
Complies with **EN 14411 (ISO 13006)** Appendix **G** Group **Bla**
Conforme à la norme **EN 14411 (ISO 13006)** Appendice **G** groupe **Bla**
Entsprechend **EN 14411 (ISO 13006)** Anhang **G** Gruppe **Bla**
Соответствует норме **EN 14411 (ISO 13006)** Приложение **G** группа **Bla**

50x50 / 20"x20"
33,3x33,3 / 13"x13"

-  ISO 10545-2
±0,3%
-  ISO 10545-2
±0,3%
-  ISO 10545-3
CONFORME / COMPLIES WITH
-  ISO 10545-4
S ≥1500 N R ≥40 N/mm²
-  EN 101
CONFORME / COMPLIES WITH
-  ISO 10545-8
≤7 MK⁻¹
-  ISO 10545-9
RESISTE / RESISTANT
-  ISO 10545-9
RESISTE / RESISTANT
-  ISO 10545-12
RESISTE / RESISTANT
-  METODO B.C.R.A.
>0,40
-  ASTM C 1028 (S.C.O.F.)
≥0,60 DRY ≥0,60 WET
-  DIN 51130
N.C.
-  ISO 10545-13
RESISTE / RESISTANT
-  ISO 10545-14
5

Rivestimenti coordinati pag. 118 / Coordinated wall tiles on page 118
Revêtements de mur coordonnés page 118 / Wandfliesen auf Seite 118
соответствующая плитка для стен на стр. 118



4YA2 Padua 33
33,3x33,3 - 13"x13"

PEI 4



4YA1 Treviso 33
33,3x33,3 - 13"x13"

PEI 4



4YA3 Vicenza 33
33,3x33,3 - 13"x13"

PEI 4



5YA2 Padua 50
50x50 - 20"x20"

PEI 4



5YA1 Treviso 50
50x50 - 20"x20"

PEI 4



5YA3 Vicenza 50
50x50 - 20"x20"

PEI 4

VENETO		PEZZI SPECIALI / PIÈCES SPÉCIALES SONDERTEILE / SPECIAL PIECES Специальные изделия.	
		 Battiscopa 8x33,3 - 3,2"x13"	
	Padua		BYa2
	Treviso		BYa1
	Vicenza		BYa3

VENETO

Formato - Spessore / Size - Thickness
Format - Epaisseur / Format - Stärke / Размер - Толщина

Finitura / Finish
Finition / Oberflächenausführung / Отделка

RIVESTIMENTI TRADIZIONALI
TRADITIONAL WALL TILES
REVELEMENTS TRADITIONNELS
HERKÖMMLICHE WANDFLIESEN
ТРАДИЦИОННАЯ НАСТЕННАЯ ПЛИТКА





25x33,3 / 10"x13" - 7,8 mm

Satinato / Satin
Satiné / Satiniert / Сатинированный



CARATTERISTICHE TECNICHE / TECHNICAL DATA CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **L** gruppo **BIII**
Complies with **EN 14411 (ISO 13006)** Appendix **L** Group **BIII**
Conforme à la norme **EN 14411 (ISO 13006)** Appendice **L** groupe **BIII**
Entsprechend **EN 14411 (ISO 13006)** Anhang **L** Gruppe **BIII**
Соответствует норме **EN 14411 (ISO 13006)** Приложение **L** группа **BIII**



PAVIMENTO COORDINATO / SUITABLE FLOOR CERAMIC TILES * CARREAUX DE SOL CONSEILLES / PASSENDE BODENFLIESEN РЕКОМЕНДОВАННАЯ НАПОЛЬНАЯ ПЛИТКА

GRES PORCELLANATO SMALTATO
GLAZED PORCELAIN STONEWARE
GRES CERAME EMAILLE
GLASIERTES FEINSTEINZEUG
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ



Formato - Spessore / Size - Thickness **Finitura / Finish**
Format - Epaisseur / Format - Stärke / Размер - Толщина Finition / Oberflächenausführung / Отделка

33,3x33,3 / 13"x13" - 8,6 mm
50x50 / 20"x20" - 9,5 mm

Satinato / Satin
Satiné / Satiniert / Сатинированный

CARATTERISTICHE TECNICHE / TECHNICAL DATA CARACTERISTIQUES TECHNIQUES / TECHNISCHE DATEN / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Conforme alla norma **EN 14411 (ISO 13006)** Appendice **G** gruppo **Bla**
Complies with **EN 14411 (ISO 13006)** Appendix **G** Group **Bla**
Conforme à la norme **EN 14411 (ISO 13006)** Appendice **G** groupe **Bla**
Entsprechend **EN 14411 (ISO 13006)** Anhang **G** Gruppe **Bla**
Соответствует норме **EN 14411 (ISO 13006)** Приложение **G** группа **Bla**



* Pavimento Coordinato - Volume Pavimenti pag. 190

Coordinated Floor - Floor Volume page 190
Revêtement de sol Coordonné - Volume Revêtements de sol page 190
Kombinierte Bodenfliesen - Band Bodenfliesen Seite 190
Координированный Пол - Раздел Полы стр. 190



4CVP Padua
25x33,3 - 10"x13"



4CPS Padua Ins. S
25x33,3 - 10"x13"



4CVT Treviso
25x33,3 - 10"x13"



4CTS Treviso Ins. S
25x33,3 - 10"x13"



LCPN Padua BN
6x25 - 2,4"x10"



LCPS Padua List. S
8x25 - 3,2"x10"



ACPS Padua SA/E
8x2 - 3,2"x0,8"



LCTN Treviso BN
6x25 - 2,4"x10"



LCTS Treviso List. S
8x25 - 3,2"x10"



ACTS Treviso SA/E
8x2 - 3,2"x0,8"



LCPP Padua Listello P
5x25 - 2"x10"



ACPP Padua Listello P A/E
5x1 - 2"x0,4"



LCTP Treviso Listello P
5x25 - 2"x10"



ACTP Treviso Listello P A/E
5x1 - 2"x0,4"



LCPB Padua Listello B
2,5x25 - 1"x10"



ACBP Padua Listello B A/E
2x2 - 0,8"x0,8"



LCTB Treviso Listello B
2,5x25 - 1"x10"



ACBT Treviso Listello B A/E
2x2 - 0,8"x0,8"

PAVIMENTO COORDINATO / SUITABLE FLOOR CERAMIC
TILES CARREAUX DE SOL CONSEILLES / PASSENDE BODENFLIESEN
РЕКОМЕНДОВАННАЯ НАПОЛЬНАЯ ПЛИТКА

33,3x33,3 / 13"x13"

GRÈS PORCELLANATO SMALTATO / GLAZED PORCELAIN STONEWARE
GRÈS CÉRAME ÉMAILLÉ / GLASIERTES FEINSTEINZEUG
ГЛАЗУРОВАННЫЙ КЕРАМИЧЕСКИЙ ГРАНИТ



4YA2 Padua 33
33,3x33,3 - 13"x13"

PEI 4



4YA1 Treviso 33
33,3x33,3 - 13"x13"

PEI 4